

[54] GERMANIUM-CONTAINING ORGANIC POLYMER AND THE PROCESS FOR THE PRODUCTION OF THE SAME

[75] Inventors: Akira Ishikawa, Tokyo; Yukihiro Ishida, Fujisawa; Shiro Ikegami, Funabashi; Hiroshi Satoh, Tokyo, all of Japan; Ryuichi Sato, 2310, Kamikoizumi, Oizumicho, Ora-gun, Gunma-ken, Japan; Setsuo Tomisawa, Tokyo; Shigeru Toyoshima, Tokyo, both of Japan

[73] Assignee: Ryuichi Sato, Gunma, Japan

[21] Appl. No.: 12,151

[22] Filed: Feb. 14, 1979

[30] Foreign Application Priority Data

Mar. 1, 1978 [JP]	Japan	53-21992
Mar. 1, 1978 [JP]	Japan	53-21993

[51] Int. Cl.<sup>3</sup> ..... C07F 7/30

[52] U.S. Cl. .... 260/429 R; 424/287

[58] Field of Search ..... 260/429 R; 424/287

[56]

References Cited

U.S. PATENT DOCUMENTS

3,689,516	9/1972	Asai et al. ....	260/429 R
3,812,167	5/1974	Pahk .....	260/429 R
4,066,678	1/1978	Sato et al. ....	260/429 R

OTHER PUBLICATIONS

Bailar et al., Comprehensive Inorganic Chemistry, Pergamon Press, N.Y., pp. 13-17 (1973), Chemical Abstracts 46, 7925b (1952).

Primary Examiner—Helen M. S. Sneed  
Attorney, Agent, or Firm—Kane, Dalsimer, Kane, Sullivan and Kurucz

[57]

ABSTRACT

Germanium-containing organic polymers are obtained by polymerizing 3-trichlorogermylpropionic acid obtained by reacting halogermanium-phosphoric acid complexes with acrylic acid. The polymers are markedly effective in mental diseases, disturbances in heart and vascular systems and are also effective against various cancers.

8 Claims, 10 Drawing Figures